


Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	24755	(state or emotio\$ or mood or mode) with (user or operator or administrator) same (determin\$ or ascertain\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 09:53
L2	1	1 same text with (appearance or font or look) with (change or changing or different or update or updating)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 08:52
L3	1022	text with (appearance or font or look) with (change or changing or different or update or updating)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 08:52
L4	113	1 and text with (appearance or font or look) with (change or changing or different or update or updating)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 09:08
L5	47	4 and (face or facial or expression)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 08:53
L6	17	4 and (face or facial or expression) with (user or operator or administrator)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 08:53
L7	41	1 and text with (appearance or font or look) with (change or changing or different or update or updating) with (user or operator or administrator)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 09:09
L8	5	1 and text with (appearance or font or look) with (change or changing or different or update or updating) with ((user or operator or administrator) near7 (input or data))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 09:09
L9	6	1 same (pressure or (manual near3 force)) with (mouse or keyboard)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 09:53
L10	50	715/701.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 09:53
L11	13	10 and (state or emotio\$ or mood or mode) with (user or operator or administrator) same (determin\$ or ascertain\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 09:54



Lowercase "or" was ignored. Try "OR" to search for either of two terms. [\[details\]](#)

**Web Results 1 - 10** of about **132,000** for **(user OR operator OR administrator) (mood or emotional or state)**

**[PDF] Microsoft PowerPoint - comm.ppt**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Evolve **mood** or **emotional state** through. conversation. \*Cassell, J. (2000).

... Autonomous Dialogue : an example. • The input **text** is typed by the **user**. ...

[www.mine.tku.edu.tw/MMM03/tutorial/ Nadia%20Thalmann-day2-8.autonomous%20avatars.pdf](http://www.mine.tku.edu.tw/MMM03/tutorial/Nadia%20Thalmann-day2-8.autonomous%20avatars.pdf) - [Similar pages](#)

**[PDF] Extracting Emotional Information from the Text of Spoken Dialog**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... **emotional state** of the **user** in its interaction with a. virtual computer characters.

... the **mood**, content, and intent of **text** messages. After ...

[www.cs.ubc.ca/~conati/um03-affect/guinn-final.pdf](http://www.cs.ubc.ca/~conati/um03-affect/guinn-final.pdf) - [Similar pages](#)

**[PDF] Virtual Humans Personified**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... The change in **mood** and **emotional state** does not directly and ... **emotional** and expressional behavior. • A **user** is able to design personalities for ...

[www.miralab.unige.ch/papers/2.pdf](http://www.miralab.unige.ch/papers/2.pdf) - [Similar pages](#)

**[PDF] User Interactive MPEG-4 Compatible Facial Animation System M ...**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... **user's** speech, phonemes and **text** information can. be extracted. ... the case of the fear **emotional state**, the virtual actor ...

[www.miralab.unige.ch/papers/13.pdf](http://www.miralab.unige.ch/papers/13.pdf) - [Similar pages](#)

[ [More results from www.miralab.unige.ch](#) ]

**[PDF] Adding Emotional Resonance to IM**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... accurately convey the **emotional state** of. those who use it. ... indicator of **mood**, this. chat window shows. what the other chat. **user** is listening to. ...

[loki.lokislabs.org/weblog/ archives/EcholInitialExploration.pdf](http://loki.lokislabs.org/weblog/archives/EcholInitialExploration.pdf) - [Similar pages](#)

**Shehla Korff, Affective Computing Oral Report, Generation 11 ...**

... responses to the **user** that incorporate the **user's emotional state**, ...

**mood**, "model the **user's emotional** life," and "apply the **user** affect model. ...

[www.soc.hawaii.edu/leonj/409bs99/korff/oral.html](http://www.soc.hawaii.edu/leonj/409bs99/korff/oral.html) - 32k - [Cached](#) - [Similar pages](#)

**[PDF] Communicating Emotions in Online Chat Using Physiological Sensors ...**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... We present a chat system that uses animated **text** associated. with **emotional** information to show the affective **state** of the. **user**. ...


[www-ui.is.s.u-tokyo.ac.jp/~takeo/papers/chi2004.pdf](http://www-ui.is.s.u-tokyo.ac.jp/~takeo/papers/chi2004.pdf) - [Similar pages](#)

**Communicating Affect and Emotion**

... the listener's own **mood** or **emotional state**, and the like. ... emotions) and the use of capitalized **text** to express anger/yelling are indications of the ...

[www.andrew.cmu.edu/user/sfussell/Emotional\\_Communication.html](http://www.andrew.cmu.edu/user/sfussell/Emotional_Communication.html) - 15k - [Cached](#) - [Similar pages](#)

**IngentaConnect Effects of Emotional State on Lexical Decision ...**



Lowercase "or" was ignored. Try "OR" to search for either of two terms. [\[details\]](#)

**Web** Results 11 - 20 of about 132,000 for (user OR operator OR administrator) (mood or emotional or state)

0018-8670/00/\$5.00 (C) 2000 IBM Toward computers that recognize ...

... attempts to adjust its selection based on a feature of the **user's mood**. ...  
 a Pilot Study to Detect the **User's Emotional State**," CHI '98 Short Papers, ...  
[www.research.ibm.com/journal/sj/393/part2/picard.txt](http://www.research.ibm.com/journal/sj/393/part2/picard.txt) - 57k - [Cached](#) - [Similar pages](#)

### Thing Programming

... get information, from storystate, thing's **emotional state** and **user** info ...  
 it needs to be to convince us of the possibility of its **mood** swings. ...  
[www.evl.uic.edu/anstey/THING/PRODUCTION/intelligence.html](http://www.evl.uic.edu/anstey/THING/PRODUCTION/intelligence.html) - 21k - [Cached](#) - [Similar pages](#)

### tech

... the **user's** actions, and the Thing's own **emotional state**, and to pass the ...  
 Essentially the **mood** changes from good to bad over time, if the **user** is ...  
[www.evl.uic.edu/anstey/THING/tech.html](http://www.evl.uic.edu/anstey/THING/tech.html) - 20k - [Cached](#) - [Similar pages](#)

### Cognitive Issues and Approaches in Music Information Retrieval

... music that has a certain **emotional** content, or music in some specified style  
 ... the film director seeks music conveying a certain **mood**; an advertiser ...  
[dactyl.som.ohio-state.edu/Huron/Publications/huron.aarden.MIR.html](http://dactyl.som.ohio-state.edu/Huron/Publications/huron.aarden.MIR.html) - 34k - [Cached](#) - [Similar pages](#)

### [PDF] Towards Affective Interfaces for Neural Signal Users

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
 ... prediction scenario, **mood** and **emotional state** could both ... presentation (eg,  
 a **text** box on the screen specifying current **user state**) to affective ...  
[www.cc.gatech.edu/~lilia/MoshkinaMooreUM2001.pdf](http://www.cc.gatech.edu/~lilia/MoshkinaMooreUM2001.pdf) - [Similar pages](#)

### The Journal of Design Research

... the signified is the thing that is represented (ie the **emotional state**). ...  
 (which might change depending on the context, the **user's mood**, etc. ...  
[jdr.tudelft.nl/articles/issue2002.02/article3.html](http://jdr.tudelft.nl/articles/issue2002.02/article3.html) - 47k - [Cached](#) - [Similar pages](#)

### [PDF] Modeling Cognition-Emotion of Users for Improved Interaction With ...


File Format: PDF/Adobe Acrobat - [View as HTML](#)  
 ... Reading a **text** while experiencing a negatively valenced **emotional ... state**.  
**User** models providing **text** tailored to the **user** need to take this affective ...  
[www.cs.usask.ca/UM99/Proc/short/Lisetti\\_152318.pdf](http://www.cs.usask.ca/UM99/Proc/short/Lisetti_152318.pdf) - [Similar pages](#)

### [PPT] wwwis.win.tue.nl/~acristea/USI/USI2.ppt

File Format: Microsoft Powerpoint 97 - [View as HTML](#)  
 ... **User** goals and plans. **User mood** and emotions. **User** preferences. Why model  
 cognitive properties? ... on the physical expressions of **emotional state** ...  
[Similar pages](#)

### [PDF] MyNewsWave: User-centered Web search and news delivery

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
 ... the SVM to match the **user's** own **mood** categories. The number of web pages needed  
 for the learning ... of HTML encoding) and **emotional state** selected are ...  
[www.cie.ict.csiro.au/adcs2002/papers/heyer-et-al.pdf](http://www.cie.ict.csiro.au/adcs2002/papers/heyer-et-al.pdf) - [Similar pages](#)



Lowercase "or" was ignored. Try "OR" to search for either of two terms. [\[details\]](#)

**Web** Results 1 - 10 of about 26,800 for **(user OR operator OR administrator) (mood or emotional or state) force k...**

Title: Altiverse Animation System Authors: Gedalia Pasternak ...

... allowing the **user** to see as well as change their current **emotional state**. ...  
also have a menu system that allows the **user** to change their current **mood**. ...  
expression.sourceforge.net/original\_ani.html - 34k - [Cached](#) - [Similar pages](#)

[PDF] AFFECTIVE COMPUTING: KNOWING HOW YOU FEEL

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Each **emotional state** in the diagram is defined by a set of features. ...  
glasses that can detect **user** affective **state** from eyes and on e-Learning, ...  
aisig.uum.edu.my/hafiz/paper/SSTS04.pdf - [Similar pages](#)

LCC'95 Friday Morning

... by voice input device and mouse (**user** can move food to feed bird), no **keyboard**.  
... memory); psychological information (**emotional state**, **mood**, feeling) ...  
web.media.mit.edu/~wex/LCC/lcc-Fri-morning.html - 11k - [Cached](#) - [Similar pages](#)

ID-Studiolab: Miguel Bruns Alonso : research

... exerting higher **force** while stroking the **keyboard** or tapping the desk with a  
... their desired **emotional state** to avoid negative consequences of stress. ...  
studiolab.io.tudelft.nl/bruns/research - 12k - [Cached](#) - [Similar pages](#)

[PDF] The Virtual Human Interface: A Photorealistic Digital Human

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... feelings with the purpose of modulating the **user's mood**. The underlying theory  
supported by ... of how the **user's emotional state** interweaves with the ...  
www.digitalelite.net/Pages/Papers/ DigitalElite\_IEEE\_VirtualHumanInterface.pdf - [Similar pages](#)

[PDF] A Classification for User Embodiment in Collaborative Virtual ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... allow listeners to infer the speaker's current **emotional state** ... occupation,  
their personality or their **mood**. Appearance is also used to signal ...  
www.cs.bris.ac.uk/Publications/Papers/1000310.pdf - [Similar pages](#)

[PDF] VIRTUAL REALITY IN REHABILITATION OF SPINAL CORD INJURIES: A CASE ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... devices sense the **operator's** reactions and motions, the **operator** can ...  
and after each session Nicola rated his **emotional** and physical **state** using ...  
www.cybertherapy.info/pages/VR\_in\_parapl.pdf - [Similar pages](#)

[PDF] Multimodality in a domestic environment

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... music that suits its **mood**? One answer is to detect the **user mood** and to (re)act  
... interactions to induce an **emotional state** for the visitor, ...  
www.idemployee.id.tue.nl/g.w.m.rauterberg/ conferences/ICAT2004/SS2-5.pdf - [Similar pages](#)

SOUNDTOYS . NET

... provide a means of personal control of ones own **mood** and **emotional state**. ...  
the brain **state** of the **user** is constantly being worked upon and improved. ...

[www.soundtoys.net/a/journal/texts/khammond.html](http://www.soundtoys.net/a/journal/texts/khammond.html) - 43k - [Cached](#) - [Similar pages](#)

### Trends: Natural User Interfaces


... the human emotions of its wearer and releases a selection of scents based on your **mood**. ... Watching your **emotional state**. "Emotive sensor" for drivers. ...

[www.byz.org/~rbanks/movableType/webLog/trends/archives/cat\\_504\\_natural\\_user\\_interfaces.html](http://www.byz.org/~rbanks/movableType/webLog/trends/archives/cat_504_natural_user_interfaces.html) - 173k - [Cached](#) - [Similar pages](#)

Goooooooooooooogle ►

Result Page:    1 2 3 4 5 6 7 8 9 10    **Next**

Free! Get the Google Toolbar. [Download Now](#) - [About Toolbar](#)



(user OR operator OR administra **Search**)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google